

BL 13




Bilanciatore col tubo

Balancer with hose
Aufroller mit Rohr

Note

Pressione max di servizio: 8 bar;
Max working pressure: 116 psi;
Maximal Betriebsdruck: 8 bar;

Temperatura max di esercizio: 50°C
Max working temperature: 122°F
Maximal betriebstemperatur: 50°C




| Codice/Code | Portata (kg) Capacity (kg.) | Peso (kg.) Weight (kg.) | Corsa (mm) Stroke (mm) | Tubo Cable | Calotta Body | Attacco "Connection" | ■ |
|-----------------|--------------------------------|----------------------------|---------------------------|---------------|-----------------|-------------------------|---|
| BL130200 | 0.4 - 0.8 | 1.35 | 1350 | Poliurethane | Aluminium | G1/4 | 1 |
| BL130201 | 0.75 - 1.5 | 1.35 | 1350 | Poliurethane | Aluminium | G1/4 | 1 |
| BL130202 | 1.2 - 2.5 | 1.35 | 1350 | Poliurethane | Aluminium | G1/4 | 1 |
| BL130203 | 3 - 5 | 1.35 | 900 | Poliurethane | Aluminium | G3/8 | 1 |

BL 16



Bilanciatore con cassa in nylon corsa 1600 mm

Balancer with nylon body travel 1600 mm
Aufroller mit Nylon Gehäuse 1600mm




| Codice/Code | Portata (kg) Capacity (kg.) | Peso (kg.) Weight (kg.) | Corsa (mm) Stroke (mm) | Fune Rope | Calotta Body | ■ |
|-----------------|--------------------------------|----------------------------|---------------------------|--------------|-----------------|---|
| BL160300 | 0,2 - 0,5 | 0,5 | 1600 | Inox | Nylon | 1 |
| BL160301 | 0,4 - 1 | 0,5 | 1600 | Inox | Nylon | 1 |
| BL160302 | 1 - 2 | 0,6 | 1600 | Inox | Nylon | 1 |
| BL160303 | 2 - 3 | 0,7 | 1600 | Inox | Nylon | 1 |

BL 16NY



Bilanciatore con cassa in alluminio corsa 1600 mm

Balancer with aluminium body travel 1600 mm
Aufroller mit Aluminium Gehäuse 1600 mm



| Codice/Code | Portata (kg) Capacity (kg.) | Peso (kg.) Weight (kg.) | Corsa (mm) Stroke (mm) | Fune Rope | Calotta Body | ■ |
|-------------------|--------------------------------|----------------------------|---------------------------|---------------|-----------------|---|
| BL160311NY | 0,4 - 1 | 0,6 | 1600 | Polypropilene | Aluminium | 1 |
| BL160312NY | 1 - 2 | 0,6 | 1600 | Polypropilene | Aluminium | 1 |
| BL160313NY | 2 - 3 | 0,7 | 1600 | Polypropilene | Aluminium | 1 |

BL

Bilanciatori


Balances
Aufroller

BL 20



Bilanciatore corsa 2000 mm

Balancer travel 2000 mm
Aufroller 2000 mm




| Codice/Code | Portata (kg) Capacity (kg.) | Peso (kg.) Weight (kg.) | Corsa (mm) Stroke (mm) | Fune Rope | Calotta Body | |
|-----------------|--------------------------------|----------------------------|---------------------------|--------------|-----------------|---|
| BL200320 | 1 - 2,5 | 2 | 2000 | Inox | Aluminium | 1 |
| BL200321 | 2 - 4 | 2 | 2000 | Inox | Aluminium | 1 |
| BL200322 | 4 - 6 | 2,3 | 2000 | Inox | Aluminium | 1 |
| BL200323 | 6 - 8 | 2,5 | 2000 | Inox | Aluminium | 1 |

BL 20SP



Bilanciatore corsa 2000 mm serie pesante

Balancer travel 2000 mm heavy travel
Aufroller 2000 mm schwere Serie




| Codice/Code | Portata (kg) Capacity (kg.) | Peso (kg.) Weight (kg.) | Corsa (mm) Stroke (mm) | Fune Rope | Calotta Body | |
|-----------------|--------------------------------|----------------------------|---------------------------|--------------|-----------------|---|
| BL200357 | 14 - 18 | 6,5 | 2000 | Inox | Aluminium | 1 |
| BL200358 | 18 - 22 | 6 | 2000 | Inox | Aluminium | 1 |
| BL200359 | 22 - 25 | 6,6 | 2000 | Inox | Aluminium | 1 |
| BL200364 | 25 - 30 | 11,5 | 2000 | Inox | Aluminium | 1 |
| BL200365 | 30 - 35 | 11,8 | 2000 | Inox | Aluminium | 1 |
| BL200366 | 35 - 45 | 12,4 | 2000 | Inox | Aluminium | 1 |
| BL200367 | 45 - 55 | 12,5 | 2000 | Inox | Aluminium | 1 |
| BL200368 | 55 - 65 | 13,6 | 2000 | Inox | Aluminium | 1 |
| BL200369 | 65 - 75 | 14,5 | 2000 | Inox | Aluminium | 1 |
| BL200370 | 75 - 90 | 17,3 | 2000 | Inox | Aluminium | 1 |
| BL200371 | 90 - 105 | 18 | 2000 | Inox | Aluminium | 1 |

BL 25



Bilanciatore corsa 2500 mm

Balancer travel 2500 mm
Aufroller 2500 mm




| Codice/Code | Portata (kg) Capacity (kg.) | Peso (kg.) Weight (kg.) | Corsa (mm) Stroke (mm) | Fune Rope | Calotta Body | |
|-----------------|--------------------------------|----------------------------|---------------------------|--------------|-----------------|---|
| BL250336 | 2 - 4 | 2,9 | 2500 | Inox | Aluminium | 1 |
| BL250337 | 4 - 6 | 3,2 | 2500 | Inox | Aluminium | 1 |
| BL250338 | 6 - 8 | 3,5 | 2500 | Inox | Aluminium | 1 |
| BL250339 | 8 - 10 | 3,7 | 2500 | Inox | Aluminium | 1 |
| BL250340 | 10 - 14 | 4 | 2500 | Inox | Aluminium | 1 |

BL 25BC



Bilanciatore corsa 2500 mm con blocco

Balancer travel 2500 mm with device stop stroke
Aufroller 2500 mm mit Blocker




| Codice/Code | Portata (kg) Capacity (kg.) | Peso (kg.) Weight (kg.) | Corsa (mm) Stroke (mm) | Fune Rope | Calotta Body | |
|-----------------|--------------------------------|----------------------------|---------------------------|--------------|-----------------|---|
| BL250346 | 2 - 4 | 3 | 2500 | Inox | Aluminium | 1 |
| BL250347 | 4 - 6 | 3,3 | 2500 | Inox | Aluminium | 1 |
| BL250348 | 6 - 8 | 3,6 | 2500 | Inox | Aluminium | 1 |
| BL250349 | 8 - 10 | 3,8 | 2500 | Inox | Aluminium | 1 |
| BL250350 | 10 - 14 | 4 | 2500 | Inox | Aluminium | 1 |

BL 25SP



Bilanciatore corsa 2500 mm serie pesante

Balancer travel 2500 mm heavy travel
Aufroller 2500 mm schwere Serie



| Codice/Code | Portata (kg) Capacity (kg.) | Peso (kg.) Weight (kg.) | Corsa (mm) Stroke (mm) | Fune Rope | Calotta Body | |
|-----------------|--------------------------------|----------------------------|---------------------------|--------------|-----------------|---|
| BL250422 | 100 - 120 | 38,7 | 2500 | Inox | Aluminium | 1 |
| BL250423 | 120 - 140 | 41,87 | 2500 | Inox | Aluminium | 1 |
| BL250424 | 130 - 150 | 44,5 | 2500 | Inox | Aluminium | 1 |
| BL250425 | 140 - 160 | 48 | 2500 | Inox | Aluminium | 1 |
| BL250426 | 160 - 180 | 49 | 2500 | Inox | Aluminium | 1 |